

BLADES FOR SLICING MACHINES

Discover our extended range



BLADES FOR SLICERS



TWO MAIN MATERIALS ARE USED IN BLADE PRODUCTION


Two different materials are used in blade production, depending on their purpose. C45 or 100Cr6.

Being a less durable material, C45 is suitable for light use and for softer products (e.g. ham, cheddar or Leerdammer cheese), while 100Cr6 is a higher-performance material and is therefore used in the production of blades for intensive use and for harder products.

Third Generation. Thanks to a profile structured on two different levels, the blade's surface is reduced to a minimum when in contact with the product. This avoids the product sticking to the side of the blade and keeps the blade clean. It also avoids waste and allows extremely thin and perfect slices to be cut, whilst maintaining the flavour of the product. Also the blade does not become hot.


The PTFE coating ensures optimised sliding of the blade during the slicing process especially for soft products such as cheese.

RASSPE SLICER BLADES - MODEL A



LF code	GEV code	B(mm)	D(mm)	Material	Suitable for
5156802	697553	300	25,4	100Cr6	BERKEL - SIRMAN - OMEGA
5156791	697374	330	25,4	100Cr6	IRONWEED - NOAW

RASSPE SLICER BLADES - MODEL C




LF code	GEV code	B(mm)	D(mm)	F(mm)	C(mm)	Material	E	Suitable for
5150149	697546	195	30	3	155	C45	NO	SIRMAN - RGV - OMAS
5156804	697545	220	25,4	4	180	C45	NO	ABO - FIA BOSTON - NOAW - OMEGA - SIRMAN
5150135	697436	220	40	3	180	C45	NO	ABO - FIA BOSTON - NOAW - OMEGA - SIRMAN
5125335	697365	250	40	3	210	C45	NO	CELME - FIMAR - RGV - SIRMAN
9710105	702390	250	40	3	210	100Cr6	NO	CELME - FIMAR - RGV - SIRMAN
5150136	697540	275	40	3	218	C45	NO	NOAW - OBERWERK - RHENINGHAUS - SAMMIC
5150150	697539	275	40	3	220	C45	NO	DAMPA - MARWEL - OMAS
5156805	LF5156805	275	40	4	218	C45	NO	ABM - KOLOSSAL - NOAW - SIRMAN - SWEDLINGHAUS
5150151	697535	296	58	4	240	100Cr6	NO	BERKEL
5125340	697534	300	40	3	245	C45	NO	DAMPA - OMAS - RGV
5125333	697385	300	40	3	250	C45	NO	FAC - FIMAR - RGV - IRONWEED
9710103	LF9710103	300	40	3	254	100Cr6	NO	FIA BOSTON - NOAW - OMS - RHENINGHAUS - SIRMAN
5125337	698214	300	40	3	254	C45	NO	FIA BOSTON - NOAW - OMS - RHENINGHAUS - SIRMAN
5049732	S0070623	300	40	3	254	C45	YES	FAMA - SIRMAN
5150154	LF5150154	300	40	4	254	C45	YES	ABM - ARSA - MARWEL - OBERWERK - SIRMAN
5150137	697451	300	40	4	254	C45	NO	ABM - ARSA - LINCOLN - MARWEL - MARWEL - SIRMAN
5170114	704528	300	42	4	240	100Cr6	NO	---
5150589	LF5150589	300	57	4	254	100Cr6	YES	ATOMA - KOLOSSAL - LINCOLN - OBERWERK - OMEGA
9710104	702173	300	57	4	254	100Cr6	NO	ABO - ARSA - CELME - FIA-BOSTON - MARWEL - NOAW
5125336	698191	300	57	4	254	C45	NO	ABM - ARSA - CELME - FIA BOSTON - IRONWEED - SIRMAN
5099636	699973	315	57	4	271	C45	NO	BERKEL
5150142	697518	330	40	3	270	100Cr6	NO	BERKEL - FIA BOSTON - IRONWEED - LEO
5156803	697466	330	40	4	270	100Cr6	NO	OBERWERK - LEO
5150143	697845	330	57	4	270	100Cr6	YES	ABO - ARSA - BERKEL - BIZERBA - NOAW - OMAS - SIRMAN
5125339	697375	330	57	4	270	C45	NO	BERKEL - BIZERBA - IRONWEED - OMAS - RHENINGHAUS -TECMAL
5165053	704518	331	57	4	270	100Cr6	NO	BIZERBA
5154962	LF5154962	350	57	3	296	100Cr6	YES	BRAHER

BLADES FOR SLICERS




RASSPE SLICER BLADES - MODEL C



LF code	GEV code	B(mm)	D(mm)	F(mm)	C(mm)	Material	E	Suitable for
5125341	697399	350	57	4	280	C45	YES	ATOMA - BERKEL - NOAW - OMAS - OMEGA - RHENINGHAUS -TECMAL
5165344	697399	350	57	4	280	C45	NO	ABM-ABO-ATOMA-BERKEL-FIA BOSTON-NOAW-OMAS-OMEGA-RHENINGHAUS
5156523	AT81PD005	350	57	4	280	100Cr6	YES	BERKEL - FIA-BOSTON - KOLOSSAL - MARWEL - OBERWERK
5125334	697463	350	57	4	280	100Cr6	NO	FIMAR - IRONWEED - MANCONI - RGV - SIRMAN
5150122	697462	350	57	4	306	100Cr6	NO	KOLOSSAL - MANCONI
5043723	697812	350	57	4	290	100Cr6	NO	BIZERBA
5150128	LF5150128	370	57	4	300	100Cr6	YES	CEG - FIA-BOSTON - OMAS - REGINA - SIRMAN
5125343	697460	370	57	4	300	100Cr6	NO	IRONWEED - MARWEL - NOAW - OMAS - OMEGA
5150152	697459	380	57	4	310	100Cr6	NO	MANCONI - OMEGA - SWEDLINGHAUS
5150153	697458	385	57	4	315	100Cr6	NO	BERKEL - BIZERBA - MARWEL

RASSPE SLICER BLADES - MODEL F




LF code	GEV code	B(mm)	D(mm)	E	C(mm)	A(mm)	Material	Suitable for
5156790	697557	250	40	3	200	190	100Cr6	ARSA - BOSTON - MARWEL - NOAW - OMAS
9006529	LF9006529	300	40	3	250	240	100Cr6	ARSA - OMAS
5156789	697558	300	40	3	250	245	100Cr6	ARSA - OMAS - RHENINGHAUS - TECHMAL
5156788	697560	350	57	4	285	285	100Cr6	RHENINGHAUS - TECHMAL




RASSPE BLADES is a Chiaravalli Group brand. Founded in Germany in 1827 and now produced in Italy, RASSPE BLADES produce a wide range of over 150 different blades, with diameters from 195mm up to 400 mm.

RASSPE SLICER BLADES - MODEL C PTFE



LF code	GEV code	B(mm)	D(mm)	F(mm)	C(mm)	Material	E	Suitable for
9006808	LF9006808	195	30	3	155	C45	NO	SIRMAN - RGV - OMAS
9006809	LF9006809	220	40	3	180	C45	NO	FIMAR - OMAS - RGV - SAMMIC - SIRMAN
9006810	LF9006810	250	40	3	210	C45	NO	CELME - FIMAR - RGV - SIRMAN
9006811	LF9006811	300	40	3	254	C45	NO	BOSTON - FIMAR - OMAS - RGV - SIRMAN
5034382	698210	300	40	3	254	100Cr6	NO	OMAS - SIRMAN
9006812	LF9006812	300	40	3	250	100Cr6	NO	ABO - AGW - FAC - IRONWEED - ITALIANA MACCHI - RGV
9006813	LF9006813	330	57	4	286	100Cr6	NO	BERKEL - MANCONI - OMAS
9006814	LF9006814	350	57	4	280	100Cr6	NO	ABM - ARSA - FIMAR - KOLOSSAL - MANCONI - NOAW - RGV
9006815	LF9006815	350	57	4	306	100Cr6	NO	BIZERBA - KOLOSSAL - MANCONI
9006816	LF9006816	370	57	4	300	100Cr6	NO	ABM - FIA - IRONWEED - KOLOSSAL - NOAW - OMEGA

RASSPE SLICER BLADES - MODEL C 3rd GENERATION




LF code	GEV code	B(mm)	D(mm)	F(mm)	C(mm)	Material	E	Suitable for
9006800	LF9006800	195	30	3	155	C45	NO	SIRMAN - RGV - OMAS
9006801	LF9006801	220	40	3	180	C45	NO	ABO - FIA BOSTON - NOAW - OMEGA - SIRMAN
9006802	LF9006802	250	40	3	210	C45	NO	CELME - FIMAR - RGV - SIRMAN
9006806	LF9006806	300	40	3	250	100Cr6	NO	FAC - FIMAR - RGV - IRONWEED
9006803	LF9006803	300	40	3	254	C45	NO	FIA BOSTON - NOAW - OMS - RHENINGHAUS - SIRMAN
9006804	LF9006804	300	57	4	254	100Cr6	NO	ABM - ARSA - CELME - FIA BOSTON - IRONWEED - SIRMAN
9006807	LF9006807	330	57	4	286	100Cr6	NO	ABO - ARSA - BERKEL - BIZERBA - NOAW - OMAS - SIRMAN
5163402	LF5163402	350	57	4	280	100Cr6	NO	FIMAR - IRONWEED - MANCONI - RGV - SIRMAN
5158302	LF5158302	350	57	4	306	100Cr6	NO	KOLOSSAL - MANCONI
5094549	LF5094549	360	57	4	316	100Cr6	NO	BERKEL
9006805	LF9006805	370	57	4	300	100Cr6	NO	IRONWEED - MARWEL - NOAW - OMAS - OMEGA
5158300	704520	370	57	4	326	100Cr6	NO	BIZERBA - MANCONI - OMAS

BLADES FOR SLICERS




SLAYER SLICER BLADES - MODEL C




LF code	GEV code	B(mm)	D(mm)	F(mm)	C(mm)	Material	Height (mm)	E	Suitable for
9006701	LF9006701	195	30	3	155	C45	13	NO	SIRMAN - RGV- OMAS
9006702	697545	220	25,4	4	180	C45	15,5	NO	ABO - FIA BOSTON - NOAW - OMEGA - SIRMAN
5166421	LF5166421	220	40	3	180	C45	15,5	NO	SIRMAN - BERKEL- OMAS - ESSEDUE
9006703	LF9006703	250	40	3	210	C45	17,5	NO	ABM - ABO - AGW - BERKEL - CELME - ESSEDUE - FAC - FIA BOSTON
9006704	LF9006704	275	40	3	218	C45	21,5	NO	AGW- ESSEDUE - ITALIANA MACCHI - MARWEL - NOAW - OMS - RGV - SIRMAN
9006705	LF9006705	275	40	3	220	C45	15	NO	BERKEL - DAMPA - ESSEDUE - OMAS - SIRMAN
9006706	697538	275	40	4	218	C45	21,5	NO	ABM - KOLOSSAL - NOAW - SIRMAN - SWE- DLHINGHAUS
9710101	697537	275	54	4	226	C45	17	NO	BIZERBA
9006707	LF9006707	296	58	4	240	100Cr6	20	NO	BERKEL
5166408	LF5166408	300	40	3	245	C45	17	NO	BERKEL - DAMPA - ESSEDUE - OMAS - OMS
5166404	LF5166404	300	40	3	250	C45	20	NO	FAC - IRONWEED - ITALIANA MACCHI - SIRMAN
5041179	LF5041179	300	40	3	254	C45	22,5	NO	BOSTON - GENERAL MACHINE - OMS - NOAW - REGINA - RHENINGHAUS
5166401	LF5166401	300	40	3	254	100Cr6	22,5	YES	BERKEL - FIA BOSTON - LA FELSINEA - RHENINGHAUS - SIRMAN
5166456	LF5166456	300	40	3	254	100Cr6	22,5	NO	ELECTROLUX - FIA BOSTON - NOAW - OMS - RHENINGHAUS - SIRMAN
5166431	LF5166431	300	40	4	254	C45	22,5	YES	ABM - CEG - ITALIANA MACCHI - LINCOLN - MARWEL - REGINA - SIRMAN
5166422	LF5166422	300	40	4	254	C45	22,5	NO	ABM - ABO - ARSA - MARWEL - MINERVA - OMEGA - REGINA - SIRMAN
5166464	LF5166464	300	57	4	254	100Cr6	22,5	YES	BERKEL - NOAW - OMAS
5166457	LF5166457	300	57	4	254	100Cr6	22,5	NO	ABO - ARSA - BERKEL - BIZERBA - CELME - FIA-BOSTON - MARWEL - NOAW
5166406	LF5166406	300	57	4	254	C45	22,5	NO	ABM - ARSA - ATLAS - BERKEL - CELME
5166403	LF5166403	315	57	4	271	C45	22,5	NO	BERKEL
5166423	LF5166423	330	40	3	270	100Cr6	21	NO	BERKEL - FAC - FIA BOSTON - IRONWEED - OMS
5166448	LF5166448	330	40	4	270	100Cr6	23	NO	OBERWERK - LEO
5166427	LF5166427	330	57	4	270	100Cr6	23	YES	BERKEL - OMAS - SIRMAN
5166407	LF5166407	330	57	4	270	C45	22,5	NO	ABO - ARSA - BERKEL - BIZERBA - ESSEDUE - OMAS - OMEGA - SIRMAN
5166454	LF5166454	350	57	4	280	C45	22,5	NO	ABM- ABO - BERKEL - BIZERBA - DAMPA - ESSEDUE
5120324	LF5120324	350	57	4	280	C45	22,5	YES	ABM - BERKEL - FAMA
5166438	LF5166438	350	57	4	280	100Cr6	22,5	YES	ABM - ATLAS - BERKEL
5166405	LF5166405	350	57	4	280	100Cr6	22,5	NO	FIMAR - IRONWEED - MANCONI - RGV - SIRMAN
5166434	LF5166434	350	57	3	300	100Cr6	16	YES	BRAHER
5166419	LF5166419	350	57	4	306	100Cr6	22,5	NO	ABM - BIZERBA - MANCONI - NOAW
5166400	LF5166400	350	57	4	290	100Cr6	23	NO	BIZERBA
5166420	LF5166420	370	57	4	300	100Cr6	22,5	YES	ABM - ATLAS - BERKEL - ESSEDUE
5166418	LF5166418	370	57	4	300	100Cr6	22,5	NO	ABM - ATLAS - BERKEL
5166429	LF5166429	380	57	4	310	100Cr6	22,5	NO	KOLOSSAL - MANCONI - OMEGA - SWEDLINGHAUS
5166430	LF5166430	385	57	4	315	100Cr6	22,5	NO	ABO - GENERAL MACHINE - MARWEL - SIRMAN

SLAYER SLICER BLADES - MODEL A



LF code	GEV code	B(mm)	D(mm)	Material	Suitable for
5166443	697374	330	25,4	100Cr6	BERKEL

SLAYER SLICER BLADES - MODEL F



LF code	GEV code	B(mm)	D(mm)	E	C(mm)	A(mm)	Material	Suitable for
5166441	704521	350	57	4	285	285	100Cr6	ARSA-RHENINGHAUS



Slayer Blades S.r.l. has been on the market for over 40 years selling spare parts for food processing machines, cooking, washing and professional refrigeration systems.

Depending on the diameter measurement and the use of the blade, SB Slayer has a wide range of slicer blades that are ideal for all types of cutting.

As far as blade diameter measurements are concerned, these can be from 195mm up to 480mm in diameter.



GEV Großküchen-Ersatzteil-Vertrieb GmbH

Gadastr. 4
85232 Bergkirchen - Germany
T +49 8142 6522-50
info.ger@repagroup.com
www.gev-online.com

LF S.p.A. a socio unico

Via Voltri 80
47522 Cesena FC - Italy
T +39 0547 341111
info.it@repagroup.com
www.lfspareparts724.com

EPGC S.a.s.

13 Rue des Forts
59960 Neuville en Ferrain - France
T +33 3 20250621
france@repagroup.com
www.epgc.com

Commercial Catering Spares Ltd.

Block C - Axis Point Hill Top Road
Heywood - Lancashire - OL10 2RQ - UK
T +44 1706 621 155
info@ccspares.co.uk
www.ccspares.co.uk

Atel S.r.l. a socio unico

Via Selvuzzis 51/2
33100 Udine UD - Italy
T +39 0432 602095
info@atelitalia.com
www.atelitalia.com

www.repagroup.com